

Term	Definition	Image
<b>Behind the ear hearing aid</b>	A behind-the-ear (BTE) hearing aid hooks over the top of your ear and rests behind the ear. A tube connects the hearing aid to a custom earpiece called an earmold that fits in your ear canal.	 <p>Hearing Aid</p>
<b>Catheter</b>	A soft tube that is used to drain urine from the bladder. Used by some people who cannot empty their bladder independently or voluntarily.	
<b>Frail</b>	Weak, fragile and with little energy. Often occurs as people grow older and their health declines.	
<b>Incontinence</b>	When a person has difficulty controlling or are unable to control their bladder or bowel voluntarily.	
<b>Talking and touching watch</b>	Watch that announces the time verbally.	
<b>Personnel</b>	People who work in a service or organization.	
<b>Rollator</b>	Walker with four wheels.	
<b>Stroke</b>	Blockage of blood flow in the brain. This can result in one side of the body becoming weak or paralysed, as well as problems in speaking, feeling, thinking and seeing.	
<b>WHO Priority Assistive Products List</b>	A list of priority assistive products that was designed by the World Health Organization. The list is a model that countries can use to develop their own national priority assistive products lists.	
<b>Cerebral palsy</b>	A group of conditions that affect movement, muscle tone, balance and posture. Cerebral palsy is a result of damage to the brain before, during or soon after birth.	

<b>Down syndrome</b>	A condition that a person may be born with. Down syndrome can cause some health, development and cognitive (thinking) difficulties. People with Down syndrome may have particular physical features.	
<b>Spinal cord injury</b>	Damage to the spinal cord, which is usually caused by an accident or illness. After a spinal cord injury, messages cannot travel along the spinal cord between the body and the brain. Often a person cannot move (is paralysed) and cannot feel below the level of the injury.	